




AC

# BATTERY COOLER EVO04



CODE - CODICE - MODEL - CODIGO	M.U.	EVO0400212
Power supply - Alimentazione - Spannungsversorgung - Tensión	V / ph / Hz	48 Vdc
Cooling capacity L35L35 - Potenza raffreddamento L35L35 Kälteleistung L35L35 - Potencia frigorífica L35L35 - DIN 3168	W	400
Cooling capacity L35L50 - Potenza raffreddamento L35L50 Kälteleistung L35L50 - Potencia frigorífica L35L50 - DIN 3168	W	300
Height / Widht / Depth - Altezza / Larghezza / Profondità Höhe / Breite / Tiefe - Altura / Ancho / Profundidad	mm	634x308x221
Absorbed current - Corrente assorbita - Stromaufnahme - Corriente absorbida	A	6,2
Pre-Fuse T - Fusibile T - Absicherung T - Elemento previo de fusibile T	A	10
Power consumption L35L50 - Potenza assorbita L35L50 Leistungsaufnahme L35L50 - Potencia absorbida L35L50 - DIN3168	W	300
Side cabinet fan flow, free blowing - Portata aria ventil. lato armadio, bocca libera Luftmenge Schrankseite, freiblasend - Caudal aire ventil. Lado armario	m <sup>3</sup> /h	410
Regulation Temperature limits - Limiti di regolazione Temperatura Temperatur Einstellbereich - limites de ajuste de Temperatura	°C	+25 / +35
Side ambient Temperature limits - Limiti di Temperatura lato ambiente Umgebungstemperatur - Limites Temperatura lado ambiente	°C	- 20 / + 55
Side cabinet protection degree - Protezione lato armadio Schutzgrad Schrankseite - Protección lado armario	IP	54
Noise level - Rumorosità - Geräuschpegel - Nivel de ruido	dB(A)	65
Weight - Peso - Gewicht - Peso	kg	26

BATTERY COOLER - BATTERY COOLER - BATTERY COOLER - BATTERY COOLER  
BATTERY COOLER - EVE EVO